




Entry Manoeuvre



Exit Manoeuvre


Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm
 Local Road Intersections
 Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double



Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0



Macorna Wind Farm

Local Road Intersections


Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:500m




Entry Manoeuvre

Vehicle Envelope
500mm Clearance
Indicative Property Fence
OSOM Wheel Envelope
Road Widening
Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:1000m




Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double



Tractor Width : 2500 mm
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0



Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:600m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double



Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0



Macorna Wind Farm

Local Road Intersections

Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:500m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:500m




Entry Manoeuvre



Exit Manoeuvre


Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:500m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:500m




Entry Manoeuvre



Exit Manoeuvre


Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:600m




Entry Manoeuvre



Exit Manoeuvre


Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:600m



Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m



Entry Manoeuvre

- Vehicle Envelope
- 500mm Clearance
- Indicative Property Fence
- OSOM Wheel Envelope
- Road Widening
- Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:500m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0




Macorna Wind Farm
 Local Road Intersections
 Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0




Macorna Wind Farm
 Local Road Intersections
 Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m




Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm
 Local Road Intersections
 Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m



Entry Manoeuvre

Vehicle Envelope
500mm Clearance
Indicative Property Fence
OSOM Wheel Envelope
Road Widening
Min. Design Speed 5km/h




Macorna Wind Farm
Local Road Intersections
Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:600m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:600m




Entry Manoeuvre



Exit Manoeuvre


Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:600m




Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m



Entry Manoeuvre

- Vehicle Envelope
- 500mm Clearance
- Indicative Property Fence
- OSOM Wheel Envelope
- Road Widening
- Min. Design Speed 5km/h



Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:1000m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double



Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0



Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
500mm Clearance
Property Fence
Area Boundary
Road Widening
Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:1000m



Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m



Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double



Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:2000m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m



Entry Manoeuvre

Vehicle Envelope
500mm Clearance
Indicative Property Fence
OSOM Wheel Envelope
Road Widening
Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:1500m




Entry Manoeuvre

Vehicle Envelope
500mm Clearance
Indicative Property Fence
OSOM Wheel Envelope
Road Widening
Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:800m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m




Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1500m




Entry Manoeuvre

- Vehicle Envelope
- 500mm Clearance
- Indicative Property Fence
- OSOM Wheel Envelope
- Road Widening
- Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:1000m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m




Entry Manoeuvre



Exit Manoeuvre


Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m



Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm
 Local Road Intersections
 Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1200m



Entry Manoeuvre


- Vehicle Envelope
- 500mm Clearance
- Indicative Property Fence
- OSOM Wheel Envelope
- Road Widening
- Min. Design Speed 5km/h



Macorna Wind Farm
Local Road Intersections
Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:1000m






Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m



Entry Manoeuvre

Vehicle Envelope
500mm Clearance
Indicative Property Fence
OSOM Wheel Envelope
Road Widening
Min. Design Speed 5km/h




Macorna Wind Farm
Local Road Intersections
Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:1000m



Entry Manoeuvre

- Vehicle Envelope
- 500mm Clearance
- Indicative Property Fence
- OSOM Wheel Envelope
- Road Widening
- Min. Design Speed 5km/h




Macorna Wind Farm
Local Road Intersections
Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:1000m




Entry Manoeuvre




Exit Manoeuvre

Vehicle Envelope
500mm Clearance
Property Fence
Area Boundary
Road Widening
Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:500m




Entry Manoeuvre



Exit Manoeuvre


Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:500m




Entry Manoeuvre



Exit Manoeuvre


Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:500m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:500m




Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m




Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m




Entry Manoeuvre



Macorna Wind Farm
Local Road Intersections
Swept Path Assessment


DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:750m






Entry Manoeuvre

- Vehicle Envelope
- 500mm Clearance
- Indicative Property Fence
- OSOM Wheel Envelope
- Road Widening
- Min. Design Speed 5km/h




Macorna Wind Farm
Local Road Intersections
Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:750m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double



Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:500m




Entry Manoeuvre



Exit Manoeuvre


Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:500m



Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h




Macorna Wind Farm
 Local Road Intersections
 Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m



Entry Manoeuvre

- Vehicle Envelope
- 500mm Clearance
- Indicative Property Fence
- OSOM Wheel Envelope
- Road Widening
- Min. Design Speed 5km/h



Macorna Wind Farm
Local Road Intersections
Swept Path Assessment

DRAWN: SS
DATE: 26/02/2026
DWG NO: 1306 S02C
SCALE at A3: 1:750m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double



Tractor Width : 2500
 Trailer Width : 2500
 Tractor Track : 2500
 Trailer Track : 2500
 Lock to Lock : 6.0s
 Steering Angle : 22.2
 Articulating Angle : 70.0



Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m




Entry Manoeuvre



Exit Manoeuvre

Vehicle Envelope
 500mm Clearance
 Property Fence
 Area Boundary
 Road Widening
 Min. Design Speed 5km/h

26.0m B-Double




Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:750m



Entry Manoeuvre

Vehicle Envelope
 500mm Clearance
 Indicative Property Fence
 OSOM Wheel Envelope
 Road Widening
 Min. Design Speed 5km/h



Macorna Wind Farm Local Road Intersections Swept Path Assessment

DRAWN: SS
 DATE: 26/02/2026
 DWG NO: 1306 S02C
 SCALE at A3: 1:1000m

